


CASE NUMBER: _____ DATE RECEIVED AT LAB: _____ NOTE: _____



DOCTOR: _____ PATIENT: _____
PLEASE PRINT PLEASE PRINT

CITY, ST: _____ Age: _____

DATE DUE ON (BY 5:00 P.M.): _____ DATE SHIPPED: _____
PLEASE ALLOW 2 WEEKS

RESTORATION

- ZIRCONIA LAYERED CROWN
- CAD/CAM FULL MONOLITHIC ZIRCONIA
- CAD/CAM FULL IPS E.MAX®
- IPS E.MAX® PRESSED & LAYERED
- PFM SELECT ALLOY ATTACHMENT SPECIFY
- FULL GOLD CROWN SELECT ALLOY
- DIAGNOSTIC WAX UP PORCELAIN VENEER
- FLEXIBLE DENTURE IMMEDIATE DENTURE
- DENTURE/PARTIAL CAST METAL
- SOFT GUARD HARD HYBRID
- PATIENT-SPECIFIC IMPLANT ABUTMENT
- REMAKE/ADJUSTMENT WITH REASONS & RETURN PRODUCTS

PFM METAL DESIGN



PFM ALLOY

- PALLADIUM (N) BASE METAL (NP)
- WHITE GOLD (HN) YELLOW GOLD (HN)

FULL CAST ALLOY

- PALLADIUM (N) YELLOW GOLD 50% (N)
- WHITE GOLD (HN) YELLOW GOLD 60% (HN)

IMPLANT ABUTMENT

- CUSTOM TITANIUM GOLD CAST ABUTMENT
- CUSTOM ZIRCONIA SCREW RETAINED
- SPECIFY TYPE & SIZE _____

- INCISAL TRANSLUCENCY MINIMAL MODERATE (1.0 mm) MAXIMUM (1.5 mm)
- SURFACE TEXTURE HIGH MEDIUM LIGHT SMOOTH
- SURFACE FINISH HIGH GLAZE POLISHED GLOSS SATIN LOW GLOSS

ANTERIOR LENGTH Central _____ mm Lateral _____ mm less than centrals Canine _____ mm

SHADE _____

DENTIN SHADE _____

FOR NON-METAL RESTORATIONS



PONTIC DESIGN



OCCUSAL

- STAIN NONE LIGHT DARK
- CONTACT HEAVY OCCLUSION
- IN OCCLUSION
- SLIGHTLY OUT OF OCCLUSION
- OUT OF OCCLUSION

IF NO OCCUSAL CLEARANCE

- SPOT OPPOSING REDUCTION COPING
- METAL OCCUSAL CALL _____

VERTICAL

VERTICAL DIMENSION _____ mm OPEN BITE
 VERTICAL MEASUREMENT _____ mm


INTERPROXIMAL

- CONTACT NORMAL BROAD POINT
- EMBRASURE CLOSED OPEN
- DIASTEMA CLOSED OPEN

ADDITIONAL INSTRUCTIONS

Please PRINT — we are not responsible if we can't read your instructions. No abbreviations.

- FRAMEWORK TRY-IN
- BISQUE TRY-IN



Signature _____ License No. _____

I agree to the Terms and Conditions — visit www.theartofaesthetics.com to read the Terms & Conditions.

PLEASE SEND A STUDY MODEL for all work involving anterior teeth

WHITE - LAB COPY

YELLOW - DOCTOR COPY

Rev. 8/24